

Advanced settings.


Introduction

The installation of PlanManager, as described in [How to install plan manager?](#), will automatically add a number of standard configurations. This document explains what is set and how to adjust these settings. Note: this document is only used for exceptions. The standard installation procedure should normally suffice for most users.

Method for the first start of PlanManager

Enter the company name

When PlanManager is launched for the first time, the program will look in the registry to the key HKEY_CURRENT_USER \ Software \ HSS \ Core \ url. If this key does not exist, the program will ask you to enter a company name.



After you enter a company name, the program starts with the default configuration.

Folder structure

A number of folders are created on the PC. The location of these folders are stored in the register (see below).

| | |
|--|---|
| Map | Function% |
| USERPROFILE% \ plan manager \ pictures | When you export pictures, they are placed in this folder. |
| % USERPROFILE% \ plan manager \ PDF | If you want to print a document, the PDF file is placed in this folder. |
| % USERPROFILE% \ plan manager \ watch | Audatex writes his sysou files in this folder path. The program looks at the map, as capacity is added a new file the latest file is uploaded to PlanManager. |

Registry

The following keys are in the registry under the folder HKEY_CURRENT_USER \ Software \ HSS \ Core:

Note: The% USERPROFILE% and% APPDATA% are shortcuts that Windows can use to go to a particular folder. The% USERPROFILE% will refer for example to C: \ Users \ Tom. It is that path (for example, C: \ Users \ Tom \ plan manager \ pictures) that you should use in this case.

| Key | Default | Meaning |
|--------------------|---|--|
| Version | 20150219 | This is becoming the version number of the Core program stated. |
| doc_folder% | USERPROFILE% \ plan manager \ pictures | when you export pictures they are placed in this folder. |
| download_folder% | USERPROFILE% \ plan manager \ PDF | If you want to print a document, the PDF file in this folder. |
| doc_storage | Temporary | From version 20130723 this configuration is no longer used. |
| informex_jar_path% | APPDATA% \ Informex \ apps \ launcher \ CurrentVersion \ Winform-Injector.jar | The location of the jar file location which is used by planmanager to inject files in Audatex. |
| winbooks_path | | The folder in which the invoice files WinBooks should be placed. |
| url | http: //yourcompany.planmanager.insypro.com | yourcompany is the company name that you entered. This URL will be open at startup. |
| close_callback | http: //yourcompany.planmanager.insypro.com | When the program is closed one last request is send to this page to unblock all open files. |
| proxy | | If you work with a proxy server your insert your proxy as: hostname:8800 |
| Proxy_User | | If you use a proxy server which requires registration, you may enter the username, |
| proxy_pass | | And the password of the proxy. |
| window_title | Plan Manager | The title of the program |
| watch_folder% | USERPROFILE% \ plan | Audatex writes his sysou |

| | |
|----------------------|--|
| manager \ watch | files in this folder path. The program looks at the map, as a new file is added the latest file is uploaded to plan manager. |
| accounting_path | Here, the accounting files are written. |
| yourcompanyname.user | This will store your username to be able to communicate with Audatex. |
| yourcompanyname.pass | This password is stored temporarily in order to make communication with Audatex. |
| length | This temporary stores the language in PlanManager. |

Winformex

Also important to know is that PlanManager will try to configure Audatex so it immediately works with PlanManager.

The following files are copied:

| From | To% |
|--|--|
| APPDATA% \ Informex \ apps \ W2-PROD \ current \ Winform | Injector.jar%APPDATA% \ Informex \ apps \ Launcher \ current \ WinformInjector.jar% |
| APPDATA% \ Informex \ Winform \ conf \ sysou-copy-save-directory | single.xml%APPDATA% \ Informex \ Winform \ conf \ sysou-copy-save-directory |
| single.xml.old%APPDATA% \ Informex \ Winform \ conf \ sysou- copy-save-directory | multi.xml%APPDATA% \ Informex \ Winform \ conf \ sysou-copy-save-directory multi.xml.old |

The location of the Winform Injector file is stored in the setting informex_jar_path.

The files sysou-copy-save-directory multi.xml and sysou-copy-save-directory single.xml are used by Audatex to store the files.

This setting watch_folder which state will therefore be entered in the register files sysou-copy-save-directory multi.xml and sysou-copy-save-directory single.xml. If

you change the Audatex setting itself, keep in mind that even the registry setting watch_folder must be adjusted.

Proxy

If you are using a proxy server in your company, you must manually register the setting proxy entering the form hostname: 8080.

Remote Desktop / Terminal Server / Citrix

Remember that PlanManager writes settings under HKEY_CURRENT_USER. If you have multiple users working on the same server then each user will be configured.

Note: because the Audatex configuration is stored globally for all users in the file 'sysou-copy-save-directory multi.xml' you can define only one folder to use. However, this creates another problem. Take the following use case:

Winformex sysou-copy-save directory and plan manager watch_folder are both set to C: \ watch.

Three users Tom, Dick, George and Corneel. They all have their open PlanManager.

John has just made a Winformex estimation and allows transmission to Informex.

Winformex sysou writes the file path C: \ Watch

The PlanManager of John sees the change of the directory and sends the sysou file.

But the PlanManagers of Peter George and Corneel see the change and send the same file.

The file is thus three times sent to the server.

But here's a simple solution:

Configure watch_folder and sysou-copy-save directory as H: \ plan manager \ watch where H: is a network that is unique for each user. A good example is the HOME directory on many terminal servers. Each user has an H but can only see their own files.

For Informex seems as if all the files can be written to the same folder. But the PlanManager of John only sees his own sysou files and not from Peter George or Corneel.

Automatically sign

You can set PlanManager so that you are automatically logged. This can be useful for instance for ATR users.

Here's how:

Go to System -> Local Settings -> Open local configuration

The screenshot shows the 'Lokale instellingen' (Local Settings) window. The 'Basis url' field contains the text: `http://bedrijfsnaam.planmanager.insypro.com/index.php?pass=je wachtwoord&user=je gebruikersnaam`. Other fields include 'Proxy', 'Proxy user', 'Proxy pass', 'Foto map' (with 'C:\Documents and Settings\planmanager\fotos'), 'PDF map' (with 'C:\Documents and Settings\planmanager\pdf'), 'Accounting Folder', 'Third party folder', 'Informex JAR bestand', and 'Informex watch map' (with 'C:\Documents and Settings\planmanager\watch'). Buttons for 'Kies map' and 'Autofind jar' are visible next to the folder and JAR fields. 'Save' and 'Close' buttons are at the bottom right.


Enter the Base URL existing with:

`http://companyname.planmanager.insypro.com/index.php?pass=je & user password = your username`

Then press Save.


Installing Multiple PlanManagers

If you need to work with multiple PlanManagers, for example, your own business, but also have to access the PlanManager of another company because you do repairs for them, then you can work in the following manner to use multiple PlanManagers.




After installing Schedule Manager, you can go to the location on your computer where you have installed it.


By default this is C: \ Program Files (x86) \ Insypro or C: \ Program Files \ Insypro. Here you will see a folder PlanManager. If you drag the folder with Ctrl you can create a copy of this folder to the same location.



You can rename the folder to the second company.



In both of these directories, you must create a config.ini file by clicking the right mouse button and then new - to select text file. The file is then created 'file.txt' to rename 'config.ini'. NOTE: Windows hides file extensions by default so you can not see the .txt and if you rename the file, the file names actually config.ini.txt. You will have to display file extensions for that folder to get back off the .txt.



The text in this section can then be changed. It starts with [defaults] followed by all the settings you need for this PlanManager. All settings can be found here above in the "Register" section. You can fill it here as follows: "key = value". For example, "url = http://yourcompany.planmanager.insypro.com '.

If you want to update PlanManager's installation to the latest version, after the update, you will need to copy all files except the config.ini contained in the PlanManager folder that we copied to the new folder.

Unikátní ID: #2026

Autor: Jean-Marie

Aktualizováno: 2019-10-08 10:31