

Installation und Konfiguration

Konfigurationsmöglichkeiten

Name	Type	Description
ACCOUNTING_SOFTWARE	string	name of external accounting software ('WinBooks', 'ProLink', 'Bob', 'Exact Online', 'ExpertM', 'Octopus', 'Lijn100')
ACCOUNTING_USERNAME	string	username for external accounting software
ACCOUNTING_PASSWORD	string	password for external accounting software
ACCOUNTING_BOOKYEAR_PERIOD	string	'monthly' or 'quarterly'
ACCOUNTING_BOOKYEAR_START	string	month + day, must be 4 chars (eg. 0631)
ALL_INFORMEX_IDS	boolean	0 = disallow ids below 8000000
ASSIGN_INSPECTION	boolean	1 = show personnel dropdown to assign inspection (export to inspector)
ATR_MIN_TASK_TIME	integer	minimum amount of minutes for a task to be shown in the ATR
ATR_REFRESH_TIME	integer	seconds before personnel/file screen returns to index
AUTO_CALC_ORDER	boolean	if 1, calculates order totals after changes
AUTO_IMPORT_LINES	enum	('ASK', 'ESTIMATION', 'ESTIMATION', 'RENTAL', 'RENTAL', 'NEVER')
AUTO_OPTIMIZE_PLAN	json array	["inline", "remainder"]
AUTO_STOP_TASKS	boolean	(d=1)
AUTODIALOG_DEALER	string	extern identifier for the autodialog service
BLOCK_ORDER_AFTER_SEN D	boolean	if 1, prevents ordering parts if 1 or more parts are already ordered
BUSINESSTYPES	json array	list of businesstypes for dropdown
CARPASS_USER	string	username for carpass webapp
CARPASS_PASS	string	password for carpass webapp
CARPASSTHRESHOLD	integer	number of days after last upload before warning is shown on startup
CARPASSUPLOADID	integer	current id in rotating id-set

Installation und Konfiguration

Name	Type	Description
CARPASSUPLOADDATE	datetime	(1 - 1000) for carpass webapp last upload date for carpass webapp
CHECKUP_WARNING_MILEAGE	integer	number of km from next rental car maintenance to show warning
CHECKUP_WARNING_WEEKS	integer	number of weeks from next rental car maintenance to show warning
CREATE_INVOICE_ON_ESTIMATION_SET	boolean	Vragen om een factuur te maken wanneer men een factuur bestek aanduid.
CN_REFERENCE	string	long reference to be printed on a CN
CN_SHORT_REFERENCE	string	short reference to be printed on a CN
CREATE_ON_EMPTY_TASKS	boolean	if true, make a file even when no tasks are found (from informex)
CUSTOM_COLUMNS_RPTPLANNING	json object	extra columns for the planning in/out report (export)
CUSTOM_REPORTS	json array	contains names of custom reports for the company
DEFAULT_ACTIVITY_FACTOR	float	on create estimation from activities option to adapt times, default 1
DEFAULT_INVOICE_TERM	integer	number of days after which an invoice must be payed
DEMONT_IS_MONTAGE	integer	demonteur does montage unless someone can finish it (x) seconds faster
EFFICIENCY_PARAM	float	percentage of work efficiency for all personnel (d=90)
ENFORCE_USER_LOCATION	boolean	autofilter location listboxes on user location
EXCESS_BUY_OFF	boolean	allow rental insurance fee buy-off
EXCESS_BUY_OFF_FEE	float	fee to be payed per rented day
EXCESS_BUY_OFF_REDUCTION	string	amount or percentage to reduce the excess with (eg. '100' or '80%')
EXCESS_BUY_OFF_VAT	integer	vat-percentage for the excess buy-off invoice
EXCESS_BUY_OFF_JOURNAL	integer	journal id for the excess

Installation und Konfiguration

Name	Type	Description
EXCESS_BUY_OFF_PART_TY PE	integer	buy-off invoice part_type_id for the excess buy-off invoice line
EXCESS_BUY_OFF_TEMPLAT E	string	name of invoice template to use for the excess buy-off
FILE_CHANGE_TIME	integer	delay in minutes before and after each file to be planned
FILE_CREATION_DEFAULTS	json object	default values for files (eg. { "RepairerId":1 })
FILE_FILTER_FIELDS	json array	fields in advanced file filter (eg. ["vinnr", "colour", "drive r", "invoiced"])
FILE_TABLE_COLUMNS	json array	columns in file table (eg. [" Edit", "Copy", "File", "Owner", "Status"])
FILE_TABLE_SORT	integer	column index for sorting the file table
FIRST_AND_LASTNAME	boolean	logon list: the first name and the lastname, then the reverse
FORCE_FILE_REMOVAL	boolean	if 1, delete communications, rentals, orders and activities instead of error
FULL_INFORMEX_BLOCK	boolean	1 to get the full text, 0 to get only the parts and tasks
GLOBAL_CODES	json array	list of audatex/informex codes (eg. [[45,100],[77,10 0],[28,100]])
ICAR_BODY_MAP	json array	bodytype codes in icar db ordered in sequence identical to enum in pm
ICAR_FUEL_MAP	json array	fueltype codes in icar db ordered in sequence identical to enum in pm
IGNORE_ACTIVITY_LAPSE	integer	tasks started within {minutes} after eachother won't prompt for stopping tasks.
INFORMEX_EXCLUDES	json array	objects not to be imported from informex (eg. ["insurer", "expert"])
INVOICE_NR_PREFIX	string	date formatting string to be used as prefix for invoice nr
INVOICE_REFERENCE	string	long reference to be printed on an invoice
INVOICE_SHORT_REFERENC	string	short reference to be

Installation und Konfiguration

Name	Type	Description
E INVOICE_TEMPLATE	number	printed on an invoice Which template do we use to send e-mails with invoices?
KDATACONTAINER_OWNER	string	name of owner
KDATACONTAINER_LICENSE	string	license (hexadecimal key)
LOAD_BY_LICENSE	json object	XPower/icar login details { "action": , "user": , "pass": , "server": , "db": }
LOCATION_MULTI_SELECT	boolean	Yes: multiple locations are selected, No: 1 location can be selected
MAIN_LANGUAGE	string	default language (nl, fr or en)
MAIN_STANDARD_JOB	integer	id of default standard job (= Template)
MAIL_THROUGH_OUTLOOK	boolean	When set, this will use your local MS Outlook client to send e-mails. Notice that this will only work with PlanManager core version 20130711 or higher and MS Outlook 2007 or higher. (eg. 1024x768)
MAX_DOCUMENT_SIZE	string	minimum seconds for a task to be planned
MIN_ASSIGNED_TIME	integer	(Y-m-d) date on which the Belgian holidays for the next 2 months will be planned
NEXT_HOLIDAY_UPDATE	date	
NO_VAT_NUMBER	boolean	if 1, unset the 'make vat nr' checkbox by default
OCTOPUS_FILE	integer	id of extern file to be used for Octopus web service
OCTOPUS_BOOKING_JOURNALS	json array	list of journalcodes that are set to export bookings instead of invoices
OPT_WARN_FILE	boolean	show optional warnings on file view page
ORDER_TEMPLATE	integer	id of communication template for ordering
OWNER_NUMBER_MANDATORY	boolean	if 1, disallow owner creation without number
PAINT_SUPPLIER	integer	id of the supplier that delivers the paint products (used for scale)
PLAN_BLOCK_ENTRY	string	name of entity to be displayed on the planning

Installation und Konfiguration

Name	Type	Description
PROC_ANTI_RUST	integer	blocks (eg. blocknr) procent for anti-rust generation from paintwork salary
PROC_ENVIRONMENT	integer	procent for environment generation from total part cost
PROC_PAINT_PROD	integer	procent for paint product generation from paintwork salary
PROC_SMALL_MAT	integer	procent for small materials generation from total part cost
READY_WHEN_IN_ATR	boolean	if 1, automatically set ready- date when showinatr is set to true
RENTAL_HOURS_BEGIN	integer	opening hour of rental service
RENTAL_HOURS_END	integer	closing hour of rental service
RENTAL_PLAN_LABEL	enum	('plate','reference','owner') label to show on the plan block thingies
ROW_HEIGHT	integer	height of planning row in px
SCALE_PROGRAM	string	name of external paint measuring program
SHOW_ATR_TIME	boolean	if 1, show the planned time of a task in the atr
SHOW_PLANNED_TASKS	boolean	if 1, show the planning entries in the atr
SKIP_DAYS	json array	days to be skipped on the planning screen (eg. ["sat","sun"])
SKIP_HOLIDAYS	boolean	if 1, avoids planning tasks on Belgian holidays
SMS_CREDITS	integer	number of sms credits remaining
SMS_PROVIDER	string	name of sms provider
SPREAD_LABOUR	json object	id/percentage pairs for informex labour distribution (eg. { "1":50,"5":50 })
SPREAD_PAINT	json object	id/percentage pairs for informex paint distribution (eg. {"4":100})
STORE_INVOICE_PDF	string	name of template file (eg. invoice.html)
TASK_HOURS_BEGIN	integer	start hour of planning

Installation und Konfiguration

Name	Type	Description
TASK_HOURS_END	integer	visualisation end hour of planning visualisation
TASKLINE_QUANTITY	json array	Quantity to use for an invoiceline of a task ["IS_ON E","IS_CALCULATED"]
TAX_BASE	boolean	if 1, use formal tax_base to calculate vat
TIME_UNIT_RATIO	integer	minutes/AE ratio --> 6 if not set
TYPEMAP	json object	list of tasktypes for informex {'demontage':1, ...}
TYPE_TO_TITLE	json object	list of businesstype/title pairs {'De heer':'heer', ...}
TWO_STEP_AUTHENTICATIO N	boolean	Enables the two step authentication system
UBENCH_OWNER	string	company name for ubench international
UBENCH_PASS	string	password for ubench international
UBENCH_USER	string	username for ubench international
UPDATE_CLIENT_DATA	boolean	if 1, push changes to clients to unsent invoices of those clients
UPDATE_INFORMEX_ONLY	boolean	if 1, informex doesn't create new files, only updates existing ones (must be 1!)
USE_ATR_SCORE	boolean	if 1, calculates personnel score and shows it in the ATR
VAT_JOURNAL_NUMBER	integer	the last number in the vat journal
VAT_PERCENTAGES	json array/object	percentages for dropdown (key = vatcode for accounting program)
VATBOOK	boolean	if 1, make vatbook entries and restrict agreement doc
VATBOOK_CREATION_DEFA ULT	boolean	if 1, new file should have Makevatnr = true by default.
VATBOOK_ASSIGN_CODE_3	string	'ALWAYS', 'SMART' or 'NEVER' (default: NEVER)
VATBOOK_PRINT_CONTINU OUS	boolean	if 1, remember printing line of list 1. Last page must be re-supplied to printer.

Installation und Konfiguration

Name	Type	Description
VATBOOK_LINES_PER_PAGE	integer	number of lines that fit on 1 printed page (default: 60)
VATBOOK_MAX_NR	integer	max number of entries before restart at nr 00001. (default: 99999)
WORKING_MARGIN	integer	minutes margin after a repair activity has ended

Eindeutige ID: #2224

Verfasser: Jean-Marie

Letzte Änderung: 2021-05-10 15:00