

Installation/Configuration

Comment pouvez-vous installer le lien entre la balance de peinture et PlanManager?

PlanManager

Installation/Configuration

PlanManager

COMMUNICATION
HELP
WORKSHOP
JOB
PLANNING
REPORT
MAINTENANCE
SYSTEM
RENTAL
INVOICING

← Back

General settings 1 customized settings Lists Usergroups Log Vault Security Credits

Configuration Editor [Edit]

Category
external links

Description
program name for paint measurements (import)

Name
SCALE_PROGRAM 2

Value
Sikkens
Axalta (Chromaweb, Phoenix and Standown IQ) 3
DuPont
Glasurit
Lacour
PPG
Sikkens
Standox

Name	Location
ACCOUNTING_SOFTWARE	
ACTIVE_CONNECTIONS	
ALBATROS_WEBHOOK_PASS	
ALBATROS_WEBHOOK_USER	
ASSESSMENT_SCHEDULE_ID	Carros
ASSESSMENT_SCHEDULE_ID	
ASSESSMENT_SLOT_BREAK	Bodyst
ASSESSMENT_SLOT_BREAK	Carros
ASSESSMENT_SLOT_BREAK	Bodyst
ASSESSMENT_SLOT_BREAK	Garag
ASSESSMENT_SLOT_BREAK	Garag
ASSESSMENT_SLOT_BREAK	
ASSESSMENT_SLOT_SIZE	Carros
ASSESSMENT_SLOT_SIZE	
ATTENTIA_DAILY_ATTENDANCE	
ATTENTIA_PASS	
ATTENTIA_TASKTYPE_CODES	

Installation/Configuration

[Redacted content]

[Redacted content]

[Redacted content]

[Redacted content]

[Redacted content]

[Redacted content]

[Redacted content]

Installation/Configuration

PlanManager

COMMUNICATION

HELP

WORKSHOP

JOB

PLANNING

REPORT

MAINTENANCE

SYSTEM

RENTAL

INVOICING

Back

General settings

Customized settings

Lists

Usergroups

Log

Vault

Security

Credits

Support

Configuration Editor

[Edit]

Name

PAINT_SUPPLIER

Value

Save

Name	Location
ACCOUNTING_SOFTWARE	
ACTIVE_CONNECTIONS	
ALBATROS_WEBHOOK_PASS	
ALBATROS_WEBHOOK_USER	
ASSESSMENT_SCHEDULE_ID	Carrosserie Der
ASSESSMENT_SCHEDULE_ID	
ASSESSMENT_SLOT_BREAK	Bodyshop A
ASSESSMENT_SLOT_BREAK	Carrosserie Der
ASSESSMENT_SLOT_BREAK	Bodyshop B
ASSESSMENT_SLOT_BREAK	Garage A
ASSESSMENT_SLOT_BREAK	Garage B
ASSESSMENT_SLOT_BREAK	
ASSESSMENT_SLOT_SIZE	Carrosserie Der
ASSESSMENT_SLOT_SIZE	
ATTENTIA_DAILY_ATTENDANCE	
ATTENTIA_PASS	

Installation/Configuration

Installation/Configuration



PlanManager

COMMUNICATION

HELP

WORKSHOP

JOB

PLANNING

REPORT

MAINTENANCE

SYSTEM

RENTAL

Back

OrganisationThird PartiesTask TypesPart TypesTask Type SpreadStandard JobsComm TemplatesCatalogTablet

Supplier Editor

NamePaint Supplier

Address

Postcode

Town

County/Province

CountryBelgium

VAT Number

VAT Percentage

Title

Supplier Type

Usable in these locations

Number247

Phone

Fax

Mobile

Emailsupport@insypro.com

Contact

LanguageNederlands (BE)

Customer Type

Type

Makes

247

Phone

Fax

Mobile

support@insypro.com

Contact

Nederlands (BE)

select a client type

☒ Products


☐ Services

All


Installation/Configuration



PlanManager Watcher



Installation/Configuration



Configuration de PlanManager Watcher :

Installation/Configuration

Installation/Configuration

The screenshot shows the 'PlanManager Map Monitor' configuration window. It features a sidebar on the left with a tree view and a main configuration area on the right. Eight red circles with white numbers are overlaid on the interface to highlight specific elements:

- 1**: Points to the 'Bekijk map' (View map) field in the sidebar.
- 2**: Points to the 'Url' field in the sidebar.
- 3**: Points to the 'Actie' (Action) field in the sidebar.
- 4**: Points to the 'Login' field in the sidebar.
- 5**: Points to the 'Wachtwoord' (Password) field in the sidebar.
- 6**: Points to the 'Bestanden verwijderen na verwerking' (Delete files after processing) checkbox in the sidebar.
- 7**: Points to the 'File to watch' field in the sidebar.
- 8**: Points to the 'Opslaan' (Save) button in the bottom right corner.


The main configuration area contains the following fields and options:

- De map die wordt aangeduid bij "Opslaan kopie ontvangen bestand"**: A text field with a 'Kies Map' (Choose Map) button next to it.
- url om de bestanden naartoe te sturen vb: http://uwbedrijf.planmanager.insypro.com**: A text field.
- Actie om uit te voeren vb: c=file&a=scale&noqc=import**: A text field.
- naam + voornaam van de gebruiker die aangemeld wordt vb: planmanager external**: A text field.
- Wachtwoord van de gebruiker**: A text field.
- Poort**: A text field.
- Http Cache proxy**: A checkbox.
- Zet dit niet aan bij winformex oplading (dit wordt enkel gebruikt bij verfmachine)**: A text field.
- If this is filled in, the system will not watch the folder but will periodically upload a single file (15minutes)**: A text field.
- Force Run Now**: A button.
- Opslaan**: A button.


Installation/Configuration

Démarrage de l'observateur sur le PC de démarrage

Installation/Configuration




Installation/Configuration




Maintenant, nous devons exécuter un script PowerShell :

Installation/Configuration




Installation/Configuration



Les différents paramètres de marque

Installation/Configuration

Installation/Configuration




Installation/Configuration

1.

2.

3.





The screenshot shows the 'PlanManager Map Monitor' configuration window. It has a blue title bar with the application name and standard window controls. The main area is divided into two columns. The left column contains input fields for 'Bekijk map', 'Url', 'Actie', 'Login', 'Wachtwoord', 'Proxy', and 'File to watch'. The right column contains descriptive text and a 'Kies Map' button. Below the input fields, there are checkboxes for 'Bestanden verwijderen na verwerking' and 'Http Cache proxy', and a 'Poort' field. At the bottom right, there are 'Force Run Now' and 'Opslaan' buttons.

Field	Value	Description
Bekijk map	C:\Color\PPGImport	De map die wordt aangeduid bij "Opslaan kopie ontvangen bestand"
Url	http://uwbedrijf.planmanager.insypro.com	url om de bestanden naartoe te sturen vb: http://uwbedrijf.planmanager.insypro.com
Actie	c=file&a=scale&noqc=import	Actie om uit te voeren vb: c=file&a=scale&noqc=import
Login	planmanager external	naam + voornaam van de gebruiker die aangemeld wordt vb: planmanager external
Wachtwoord	Wachtwoord van de gebruiker
Proxy		Poort
<input checked="" type="checkbox"/> Bestanden verwijderen na verwerking		<input type="checkbox"/> Http Cache proxy
File to watch	PPGMixData.xml	Zet dit niet aan bij winformex oplading (dit wordt enkel gebruikt bij verfmachine) If this is filled in, the system will not watch the folder but will periodically upload a single file (15minutes)

Buttons: Force Run Now, Opslaan

Installation/Configuration




Installation/Configuration

1.

2.

3.



The screenshot shows the 'PlanManager Map Monitor' configuration window. It has a blue title bar with the application name and standard window controls. The main area is divided into two columns. The left column contains input fields for 'Bekijk map', 'Url', 'Actie', 'Login', 'Wachtwoord', 'Proxy', and 'File to watch'. The right column contains explanatory text and a 'Kies Map' button. At the bottom right, there are 'Force Run Now' and 'Opslaan' buttons. A checkbox for 'Bestanden verwijderen na verwerking' is located below the 'Proxy' field.

Field	Value / Description
Bekijk map	<the same as in ColorDirector>
Url	http://uwbedrijf.planmanager.insypro.com
Actie	c=file&a=scale&noqc=import
Login	planmanager external
Wachtwoord
Proxy	<input type="checkbox"/> Bestanden verwijderen na verwerking
File to watch	
Port	
Http Cache proxy	<input type="checkbox"/>
Force Run Now	Button
Opslaan	Button

Installation/Configuration

[Redacted content]

[Redacted content]

[Redacted content]

[Redacted content]

[Redacted content]

[Redacted content]

[Redacted content]

Installation/Configuration



Installation/Configuration

60. Configuration système

Profil Société	Suivi Automatique	Formule/coloris	Sécurité	Balance
Étiquette/Impression	Gestion de Stock	MAJ/Formules perso.	BSM Interface	

☒ Autoriser Interface gestion carrosserie
Emplacement fichier répertoire
Ex : C:\Exportdata (Noms Fichiers/Dossiers sans espace)

...

Deux fichiers créés dans le répertoire : Pour.Log et Pourform.Log

☐ Créer un dossier de pesée pour chaque OR


Nouvelle interface (version 14)

☒ Autoriser importation informations OR
☒ Importation automatique des OR ☒ Importation avancée des OR

Interface Système de Gestion	Emplacement	Config.
<input checked="" type="checkbox"/> STANDARD	C:\TEMP\JOBS.XML	

Esc F10 F7

Installation/Configuration



The screenshot shows the 'PlanManager Map Monitor' configuration window. It contains two columns of settings. The left column includes fields for 'Beijk map' (C:\exportpm), 'Url' (http://symons.planmanager.insypro.com), 'Actie' (c=file&a=scale&noq=import), 'Login' (planmanager external), 'Wachtwoord' (masked with dots), 'Proxy' (empty), 'Poort' (empty), a checked checkbox for 'Bestanden verwijderen na verwerking', and 'File to watch' (pour.log). The right column includes a 'Kies Map' button, a description of the map, a 'url om de bestanden naartoe te sturen' (http://uwbedrijf.planmanager.insypro.com), an 'Actie om uit te voeren' (c=file&a=scale&noq=import), a 'naam + voornaam van de gebruiker' (planmanager external), a 'Wachtwoord van de gebruiker' (empty), a checkbox for 'Http Cache proxy', a note about 'winformex oplading', and a note about periodic uploads. At the bottom right are 'Force Run Now' and 'Opslaan' buttons.

Field	Value
Beijk map	C:\exportpm
Url	http://symons.planmanager.insypro.com
Actie	c=file&a=scale&noq=import
Login	planmanager external
Wachtwoord	*****
Proxy	
Poort	
Bestanden verwijderen na verwerking	<input checked="" type="checkbox"/>
File to watch	pour.log
url om de bestanden naartoe te sturen	http://uwbedrijf.planmanager.insypro.com
Actie om uit te voeren	c=file&a=scale&noq=import
naam + voornaam van de gebruiker	planmanager external
Wachtwoord van de gebruiker	
Http Cache proxy	<input type="checkbox"/>
Force Run Now	Force Run Now
Opslaan	Opslaan

Installation/Configuration



Référence ID de l'article : #1198
Auteur : Matthias Van Woensel
Dernière mise à jour : 2024-03-10 16:09